

Drug	ACCEPTABLE	NOTE
Sudafed	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Sular	Yes.	Anti-hypertensive
Sulfa-chlorpyridazine, Sulfacytine, Sulfalar, Sulfameter, Sulfamethizole, Sulfamethoxazole	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes for acne.	Antibiotic
Sulfasalazine	No, permanent deferral.	Immunomodulator
Sulfathalidine, Sulfisoxazole, Sulfose	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Sulfoxone	No, permanent deferral.	Anti-leprosy
Sulindac	Yes, if arthritis inactive. Defer plateletpheresis donors 24 hours.	Non-steroidal, anti-inflammatory
Sulla	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes for acne.	Antibiotic
Sumatriptan Succinate	Accept if migraine symptoms are resolved. Defer until next day after receiving injection.	Blocks production of Serotonin
Sumox	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Sumycin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne or rosacea.	Antibiotic
Supac (Mission)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Supen	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Suprax	Defer 24 hours after course completed and feel well.	Antibiotic
Suprin (Invamed)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Suprofen	Yes, if arthritis inactive. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory. Analgesic
Suprol	Yes, if arthritis inactive. No, if for fever. Defer plateletpheresis donors 24 hours.	Non-steroidal anti-inflammatory. Analgesic
Surfak	Yes.	Laxative
Surfol	Yes.	Laxative
Surmontil	Yes.	Anti-depressant
Sustaire	Yes, even if daily dose for maintenance.	Bronchodilator
Symmetrel	Yes.	Anti-Parkinson, Anti-viral agent
Symptom 2, Symptom 3	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Synalar	Yes.	Topical steroid
Synalgos	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA
Synarel	Yes.	Use in managing endometriosis
Synkavite	Evaluate underlying condition.	Vitamin K
Synthroid	Yes.	Thyroid replacement
Synvisc	Yes. Defer 1-week after injection.	Injection for arthritis.
Sytobex	Yes.	Vitamin B ₁₂
Tabron	Yes.	Hematinic
Tacaryl	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
TACE	No, permanent deferral.	Anti-neoplastic
Tacrine	Yes, if legally and mentally responsible. May cause elevated ALT.	Anti-Dementia, Alzheimer's disease
Tagamet	Yes, if ulcer disease pain-free.	H ₂ receptor agonist
Talacen	Yes, if not abuser.	Analgesic, narcotic

Drug	ACCEPTABLE	NOTE
Talwin	Yes, if not abuser. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic
Tamazepam	Yes.	Anti-anxiety agent
Tambocor	No, defer until off the medication and stable.	Anti-arrhythmic
Tamoxifen	No, permanent deferral unless used to treat non-malignant disease.	Anti-neoplastic
Tamsulosin	Yes.	Used in treating benign prostatic hypertrophy
Tandearil	Yes, if arthritis inactive.	Anti-inflammatory
Tao	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Tapazole	Yes.	Anti-thyroid
Taractan	Yes, evaluate underlying condition.	Potent tranquilizer
Tarka	Yes, for BP.	Calcium channel blocker
Tavist	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Tazarotene	Defer 2 weeks	Topical Gel for acne, psoriasis
Tazicef	Defer 1 week.	Antibiotic
Tazidime	Defer 1 week.	Antibiotic
Technetium99	Defer 2½ days, but should evaluate why test done and it's results.	Radioactive label
Tedral	Yes, even if daily dose for maintenance.	Bronchodilator
Teebacin	Yes.	Anti-inflammatory
Tegison (etretinate)	No, permanent deferral.	Anti-psoriasis agent (teratogenic)
Tegopen	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Tegretol	Yes.	Anti-convulsant, analgesic
Teldrin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Telmisartan	Yes	Angiotensin receptor II antagonist, anti-hypertensive, cardiovascular

Drug	ACCEPTABLE	NOTE
Temaril	Yes, evaluate underlying condition. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, Anti-pruritic
Temazepam	Yes.	Hypnotic/sedative
Temovate (clobetasol propionate)	Yes.	Topical steroid
Tempra	Yes.	Anti-pyretic
Tenex	Yes.	Anti-hypertensive
Tenol Plus	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Tenoretic	Yes.	Anti-hypertensive (beta blocker)
Tenormin	Yes, if for hypertension. Yes for MVP and has no restrictions. No, if for angina.	Anti-hypertensive (beta blocker). Anti-anginal
Tenuate	Yes.	Anorexiant
Tepanil	Yes.	Anorexiant
Terazol (vaginal cream)	Yes.	Anti-fungal
Terbutaline	Yes, even if daily dose for maintenance.	Bronchodilator
Terfenadine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Terfonyl	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Terpin Hydrate	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Expectorant
Terramycin, Terrastatin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Teslac	No, permanent deferral.	Anti-neoplastic agent
Tessalon	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive
Testoject-E.P.	Yes.	Hormone
Testolactone	No, permanent deferral.	Anti-neoplastic
Testosterone	Yes.	Hormone

Drug	ACCEPTABLE	NOTE
Testred	Yes.	Hormone
Tetanus Antitoxin (Equine)	Defer 3 months.	Biological
Tetanus Immune Globulin	No, defer 6 months.	Biological
Tetrachel	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Tetracycline, Tetracyn, Tetrastatin, Tetrex	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Teveten (Eprosartan mesylate)	Yes	Angiotensin receptor II antagonist
Theelin	Yes.	Hormone
Theobid, Theocap, Theoclear 80, Theodor, Theolair, Theorganidin, Theophyl, Theospan	Yes, even if daily dose for maintenance.	Bronchodilator
Theracebrin	Yes.	Vitamins
Theragran	Yes.	Vitamins/hematinic
Theramycin	Defer 24 hrs. after course completed and feel well; if IV or IM defer 1 wk. Yes, if for acne.	Antibiotic
Therapy Bayer Asprin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Thiabendazole	Defer 1 week after course completed and feel well.	Anti-helminthic
Thiamine	Yes.	Vitamin
Thiamazole	Yes.	Anti-thyroid
Thiethylperazine	Yes, if symptom free.	Anti-emetic
Thioguanine	No, permanent deferral.	Anti-neoplastic
Thioridazine	Yes, if mentally and legally responsible.	Anti-psychotic
Thiosulfil	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Thiothixene	Yes, if mentally and legally responsible.	Anti-psychotic
Thiphenamil	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic

Drug	ACCEPTABLE	NOTE
Thiuretic	Yes.	Anti-hypertensive, diuretic
Thorazine	Yes, if mentally and legally responsible.	Anti-psychotic
Thyrar	Yes.	Thyroid replacement
Thyroglobulin, Thyroid Extract	Yes.	Thyroid replacement
Thyrolar	Yes.	Thyroid replacement
Tiazac (diltiazem HCl)	Yes, for hypertension	Calcium channel antagonist
Ticlid (ticlopidine HCl)	Yes for whole blood, FFP, RBC or cryoprecipitate. Defer 2 wks for platelets.	Platelet aggregate inhibitor (treat as ASA, circle box)
Tigan	Yes, if symptom free.	Anti-nausea
Tilde inhaler	Yes.	Anti-asthmatic
Timentin	Defer until 1 week after course completed.	Antibiotic (IV)
Timolol	Yes, if for hypertension; no, if for arrhythmia or angina.	Anti-arrhythmic, anti-anginal, Anti-hypertensive
Tindal	Yes, if mentally and legally responsible.	Anti-psychotic
Tirend	Yes.	Stimulant
Titralac	Yes, if ulcer disease pain-free.	Antacid
Tocamide	No, defer until off medication and symptom free.	Anti-arrhythmic
Tocopherol	Yes.	Vitamin E
Tofranil	Yes.	Tranquilizer
Tolazamide	Yes.	Oral hypoglycemic
Tolazoline	Yes, watch for orthostatic pressure changes.	Vasodilator
Tolbutamide	Yes.	Oral hypoglycemic
Tolectin	Yes, if arthritis inactive. Defer platelet-pheresis donors 72 hours.	Anti-inflammatory
Toleron	Yes.	Hematinic
Tolinase	Yes.	Oral hypoglycemic
Tolmetin	Yes, if arthritis inactive. Defer platelet-pheresis donors 72 hours.	Anti-inflammatory
Tolterodine (Detrol)	Yes	Anti-cholinergic, hyperactive bladder treatment agent.
Tonocard	No, defer until off medication and symptom free.	Anti-arrhythmic
Topamax	Yes, if used as anti-depressant. Yes, if seizure control criteria is met.	Anti-depressant Anti-convulsant
Toprol XL (Metoprolol)	Yes, for blood pressure.	Beta blocker

Drug	ACCEPTABLE	NOTE
Tora	Yes.	Anorexiant
Toradol	Yes, if arthritis inactive. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer plateletpheresis donors 72 hours.	Non steroidal anti-inflammatory, analgesic.
Torecan	Yes.	Anti-emetic
Torsemide	Yes.	Diuretic
Totacillin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Tralmag	Yes, if ulcer disease pain-free	Antacid
Tramadol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Trandate	Yes.	Anti-hypertensive (beta blocker)
Tranmep	Yes.	Sedative/hypnotic
Tranxene	Yes.	Tranquilizer
Tranlycypromine	Yes.	Anti-depressant
Trazodone	Yes.	Anti-depressant
Trecator-SC	No, defer until disease inactive.	Anti-tuberculosis
Tremin	Yes.	Anti-Parkinson
Trental	Yes.	Anti-claudication
Trest	Yes, if ulcer disease pain-free.	Anti-cholinergic, Anti-spasmodic
Trexan	Yes, if not abuser.	Narcotic antagonist
Triact	Yes.	Laxative
Triamcinolone	Defer 72 hours if p.o. or IM. Yes, if topical or intra-articular.	Corticosteroid
Triaminic, Triamnicin, Triaminicol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms. Defer 72 hrs for plateletpheresis or sole source platelets	Antitussive, antihistamine
Triamterene	Yes.	Diuretic
Triavil	Yes, if mentally and legally responsible.	Anti-psychotic, Anti-depressant
Tricholormethiazide	Yes.	Anti-hypertensive, diuretic
Triclofos, Triclos	Yes.	Hypnotic/sedative
Tricor	Yes.	Cholesterol lowering agent

Drug	ACCEPTABLE	NOTE
Tridihexethyl	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Tridione	Yes.	Anti-convulsant
Trifluoperazine	Yes, if mentally and legally responsible.	Anti-psychotic
Triflupromazine	Yes, if mentally and legally responsible.	Anti-psychotic, Anti-emetic
Trigesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Trihemic 600	Yes.	Hematinic
Trihexyphenidyl	Yes.	Anti-Parkinson
Trilafon	Yes, if mentally and legally responsible.	Anti-psychotic
Trilisate	Yes, if arthritis inactive.	Anti-inflammatory
Timeprazine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Trimethadione	Yes.	Anti-convulsant
Trimethaphan camsylate	Defer 72 hours.	Ganglionic blocking agent. (potent hypotensive)
Trimethobenzamide	Yes, if symptom free.	Anti-nausea
Trimethoprim	Defer 24 hours after course completed and feel well.	Antibiotic
Trimipramine	Yes.	Anti-depressant
Trimox	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Trimpex	Defer 24 hours after course completed and feel well.	Antibiotic
Trimtab	Yes.	Anorexiant
Trinalin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Trind	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, antihistamine
Trinprin (Trinity)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic

Drug	ACCEPTABLE	NOTE
Trinsicon	Yes.	Vitamins/iron
Tri-Pain Caplets	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Tripelennamine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Triprolidine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Trisalate	Yes, if arthritis inactive.	Anti-inflammatory
Trisogel	Yes, if ulcer disease pain-free.	Antacid
Trisomen	Yes, if ulcer disease pain-free.	Antacid
Trisoralen	Yes.	Pigmentation agent
Trisulfapyrimidines	Defer 24 hours after course completed and feel well.	Antibiotic
Triten	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine
Tri-Vi-Flor	Yes.	Vitamins
Trobicin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Trocinate	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Troleandomycin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Trusopt	Yes.	Eye drops for glaucoma
Tuinal	Yes, if not abuser.	Hypnotic
Tums	Yes, if ulcer disease pain-free.	Antacid
Tussagesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant, antitussive
Tussar, Tussend, Tussionex	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, decongestant
Tussi-Organidin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, antihistamine

Drug	ACCEPTABLE	NOT
Tuss-Ornade	Yes, as anti-cholinergic. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, anti-cholinergic
Twin-K-C1	Yes.	Potassium replacement
Tylenol	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Anti-pyretic, Analgesic
Tylenol #3	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Tylox	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Ulacort	Defer 72 hours if p.o. or IV; yes, if topical or intra-articular.	Corticosteroid
Ultracef	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Ultralente Iletin Ultralente Insulin	No, permanent deferral.	Hypoglycemic
Ultram	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Unasyn	Defer for one week after stops medication.	Antibiotic
Unicap	Yes.	Vitamins
Unidur (theophylline)	Yes.	Anti-asthmatic
Unipen	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Uniphyll	Yes, even if daily dose for maintenance.	Bronchodilator
Unitensin	Yes.	Anti-hypertensive
Univasc	Yes	Ace Inhibitor
Upotoin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Uracel	Yes, if arthritis inactive.	Anti-inflammatory
Urecholine	Yes.	Uricosuric
Urestrin	Yes.	Hormone
Urex	Defer 24 hours after course completed and feel well.	Antiseptic
Urised	Defer 24 hours after course completed and feel well.	Antiseptic

Drug	ACCEPTABLE	NOT
Urispas	Yes, if ulcer disease pain-free and/or urinary tract infection resolved.	Anti-cholinergic/Anti-spasmodic
Urobiotic	Defer 24 hours after course completed and feel well.	Antibiotic
Urocit	Yes.	Potassium supplement
Urodine	Defer till infection is cleared; yes, if not have active infection. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Urolax	Yes.	Uricosuric
Ursinus Inlay-Tabs (Sandoz)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets.	ASA containing analgesic
Ursodiol	Yes.	Gallstone dissolution agent
Utibid	Defer 24 hours after course completed and feel well.	Antiseptic
Uticillin VK	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Utimox	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Vagisec	Yes.	Topical antiseptic
Vagitrol	Yes.	Topical antiseptic
Valadol	Yes.	Anti-pyretic, analgesic
Valdecoxib (Bextra)	Yes, if for osteoarthritis Defer for rheumatoid arthritis.	COX-2 Inhibitor
Valerian	Accept.	Anxiolytic, hypnotic
Valesin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets.	ASA containing analgesic
Valium	Yes.	Tranquilizer, Anti-convulsant
Valmid	Yes.	Sedative/hypnotic
Valpin	Yes, if ulcer disease pain-free.	Anti-cholinergic/Anti-spasmodic
Valproic Acid	Yes.	Anti-convulsant
Valrelease	Yes.	Muscle relaxant
Valsartan (Diovan)	Yes.	Angiotensin blocker (receptor)

Drug	ACCEPTABLE	NOTE
Valtrex	Yes, if no active lesions.	Anti-viral for Herpes virus
Vancenase (Azmecort)	See Azmacort	
Vancril Inhaler	Yes, even if daily dose for maintenance.	Anti-inflammatory steroid
Vanobid	Yes.	Topical Anti-fungal
Vanquish	Yes. Defer 72 hrs for plateletpheresis or sole source platelets	Anti-inflammatory, Anti-pyretic
Vansil	Defer 1 week after course completed and feel well.	Anti-helminthic
Vantin	Defer for 24 hrs. after course completed and feel well.	Antibiotic
Vapo-Iso	Yes, even if daily dose for maintenance.	Bronchodilator
Vaponefrin	Yes, even if daily dose for maintenance.	Bronchodilator
Varicella-Zoster Immune Globulin	Defer 6 months.	Biological
Vasal	Yes; no, if for arrhythmia.	Vasodilator
Vascor	Yes	Calcium Channel Blocker
Vascunitol	No, defer until off drug and symptom free.	Anti-anginal
Vasitol	No, until off drug and symptom free. Evaluate underlying condition.	Anti-anginal
Vasodilan	Yes.	Beta adrenergic stimulant (watch for orthostatic change)
Vasopressin	No, permanent deferral.	Anti-diuretic hormone
Vasoretic	Yes, if for hypertension. No, if for heart disease.	Anti-hypertensive, ACE inhibitor
Vasospan	Yes; no, if for arrhythmia.	Vasodilator
Vasotec	Yes, if for hypertension. No, if for heart disease.	Anti-hypertensive, ACE inhibitor
V-Cillin, V-Cillin K	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Vectrin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Veetids	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Velosef	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Ventolin, Ventyl	Yes, even if daily dose for maintenance.	Bronchodilator
VePesid	Permanent deferral.	Chemotherapeutic agent

Drug	ACCEPTABLE	NOTE
Veracillin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Verapamil	Yes, if for hypertension. No, if for angina or arrhythmia.	Anti-anginal, anti-arrhythmic, Anti-hypertensive
Verelan	Yes, if for hypertension. No, if for angina or arrhythmia.	Anti-anginal, anti-arrhythmic, Anti-hypertensive
Verin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets.	ASA containing analgesic
Vermazine	Defer 1 week after course completed and feel well.	Anti-helminthic
Vermox	Defer 1 week after course completed and feel well.	Anti-helminthic
Versapen	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Versed	Yes.	Sedative
Verstran	Yes.	Tranquilizer
Vertrol	Yes, as Anti-emetic. Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine, Anti-emetic
Vesicholine	Yes.	Cholinomimetic
Vesprine	Yes.	Tranquilizer, Anti-emetic
Viagra	Defer 12 hours.	For erectile dysfunction
Vibraform	Yes, if lesions not in antecubital region.	Anti-fungal
Vibramycin, Vibra-Tabs	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week. Yes, if for acne.	Antibiotic
Vicodin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antitussive, analgesic
Vi-Daylin	Yes.	Vitamins
Vigran	Yes.	Vitamins
Vi-Magma	Yes.	Vitamins
Viokase	Yes.	Enzyme replacement
Vio-Serpine	Yes, watch for orthostatic pressure changes.	Anti-hypertensive
Vioxx (Rofecoxib)	See Rofecoxib	

Drug	ACCEPTABLE	NOT
Virazole	Defer 6 months	Anti-viral
Visken	Yes if for hypertension. No, if for Arrhythmias	Anti-arrhythmic, Anti-hypertensive
Vistaril	Yes.	Anti-anxiety
Vi-Syneral, Vitamins A, B, B ₂ , B ₆ , B ₁₂ , C	Yes.	Vitamins
Vitamin D	No, if renal disease, otherwise, yes.	Vitamin
Vitamin K ₁ , K ₃	Evaluate underlying condition.	Vitamins
Vitamins E, C	Yes.	Vitamins
Viterra C, E	Yes.	Vitamins
Vitron C	Yes.	Vitamin
Vivactil	Yes.	Anti-depressant
Vivarin	Yes.	Stimulant
Vizac	Yes.	Vitamin C,E,A preparation
Voltaren	Yes, if arthritis inactive. Defer 72 hours if for plateletpheresis.	Non-steroidal anti-inflammatory.
Vontrol	Yes.	Anti-emetic
Voramil	Yes.	Anorexiant
Warfarin	Defer pending medical evaluation with cessation of drug.	Anticoagulant
Welchol	Yes	Lipid reducing agent
Wellbutrin	Yes.	Anti-depressant
Wellcovorin	No, permanent deferral.	Correct anti-folate effect of methotrexate
Wesprin Buffered (Wesley)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets.	ASA containing analgesic
Wigraine	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Win Gel	Yes, if ulcer disease pain-free.	Antacid
Winstrol	Yes, if not renal disease.	Anabolic steroid
Wycillin	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Wygesic	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic, Anti-pyretic

Drug	ACCEPTABLE	NOTE
Wymox	Defer 24 hours after course completed and feel well; if IV or IM defer 1 week.	Antibiotic
Wytensin	Yes.	Anti-hypertensive
Xanax	Yes.	Tranquilizer
Xalatan (Latanoprost)	Yes	Anti-glaucoma
Xenadrine	Accept.	Ephedrine
Xenical	Yes.	Non-systemic inhibitor of gastrointestinal lipases
Yasmin	Yes	Contraceptive agent
Yocon	Yes.	Anti-hypertensive, aphrodisiac
Yodoxin	Defer 1 week after course completed and feel well.	Amebicide
Yohimbine hydrochloride	See Yocon.	
Yutopar	Defer 6 weeks after pregnancy terminated.	Sympathomimetic (inhibits labor)
Zactane	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Analgesic
Zactirin	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	Analgesic, ASA
Zantac	Yes, if ulcer disease pain-free.	Antacid
Zarontin	Yes.	Anti-convulsant
Zaroxolyn	Yes.	Diuretic, Anti-hypertensive
Zebeta	Yes	Beta Blocker
Zemuron	Drug OK, but shuldn't donate for 6 weeks after surgery.	Non-depolarizing muscle relaxant
Zephrex	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Decongestant, expectorant.
Zeste	Yes.	Hormone
Zestoretic	Yes, if for hypertension.	Anti-hypertensive
Zestril	Yes, if for hypertension.	Anti-hypertensive
Zetia	Yes	Lipid lowering agent
Ziac	Yes	Anti-hypertensive
Zidovudine	Permanent deferral.	Anti-HIV agent
Zinacef	No, defer 24 hours after course completed, if IV or IM defer 1 week.	Antibiotic

Drug	ACCEPTABLE	NOTE
Zithromax	No, defer 24 hours after course completed. Yes for acne.	Antibiotic
Zocor	Yes.	Cholesterol lowering agent.
Zoladex	Accept if taken for endometriosis. Defer if taken for cancer	Gonadotropin secretion inhibitor.
Zoloft	Yes.	Anti-depressant
Zonegran (Zonisamide)	No. Defer for 1 month after last dose. (Possible Fetal Tetragenicity)	Anti-seizure medication
Zorane	Yes.	Oral contraceptive
Zorprin (Boots)	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms or for fever. Defer 72 hrs for plateletpheresis or sole source platelets	ASA containing analgesic
Zovia	Yes.	Contraceptive
Zovirax	Yes.	Anti-herpes medication
Zyban	Yes.	Anti-smoking aid
Zyloprim	Yes.	Uricosuric
Zymase	Yes	For pancreatic enzyme deficiency
Zyprexa (olanzapine)	Yes.	Anti-psychotic. Psychotropic agent.
Zyrtec	Yes, if taken for allergies. Defer for 72 hours after symptoms are resolved if taken for cold/flu symptoms.	Antihistamine